



HEMOROAM60

The HemoRoam line of mobile, battery-powered refrigerators enables healthcare providers to store blood between 2°C to 8°C and platelets at ambient temperatures. By reducing medical waste and saving time, the HemoRoam allows healthcare providers to transition from outdated disposable coolers to innovative, cost-effective solutions for the modern day.



THE FEATURES YOU NEED

- Outer case constructed with durable military-grade Aluminum (MIL-STD-810, MIL-STD-461, ATA 300 (Cat. 1), DIN EN 60 529)
- Ergonomic spring handles automatically stow for safe shipping
- Stackable outer case allows for efficient out-of-use storage.
- Smart change technology automatically switches charge between battery and electrical power plugs without the need for user intervention
- Digital microprocessor temperature controller with built-in low battery alarm
- Watertight, sealed, and anodized payload compartment
- Complies with cold-chain protocols of VFC, FDA, CDC, AABB & AATB
- Pad lockable

INCLUDED ACCESSORIES

- Castor wheels
- Handle bar
- File folder

OPTIONAL ACCESSORIES

- Cigarette lighter adapter
- Temperature data logger

SPECIFICATIONS

OVERALL DIMENSIONS
WEIGHT
REFRIGERATED PAYLOAD DIMENSIONS
REFRIGERATED PAYLOAD CAPACITY
PROGRAMMABLE TEMPERATURE RANGE
TEMPERATURE UNIFORMITY
POWER INPUTS

31.75" X 23.25" X 24.75"
120 LBS
22" X 14" X 10"
78 UNITS OF 300 ML RBC / 300 ML PLASMA
REFRIGERATOR: 1°C - 6°C
+/- 1.0°C AT SETPOINT 4.0°C
12-24 VDC / 110-240 VAC

BATTERY CAPACITY

	NEW TOTAL WEIGHT	FRIDGE BATTERY LIFE	FREEZER BATTERY LIFE
BBS50	165 LBS	36-40 HRS	NA
BBS100	195 LBS	80-96 HRS	NA
BBS200	265 LBS	160-196 HRS	NA



Questions Or Get a Quote | SalesService@A2A-LOGISTICS.COM

www.a2a-logistics.com | 910-356-5500 | 1.800.493.3736